






Alan Motorized Curtain Co., Limited was founded in 2013. Alan is a technologybased manufacturer, specialized in R&D, manufacturing, provide on-site installation and after-sale service of motorized curtain motor and curtain track systems. We have ISO 9001, ISO 14001 and CCC certificates; all of our products have passed CE, ROHS testings . Alan has obvious technical advantages and product advantages, the world's first "timely drive technology" patent. It completely solved three major problems of hotel's motorized curtains. At the same time, we are the only manufacturer who gives 5 years warranty for both curtain motor and track, and we advocate "5 years warranty & zero maintenance" for electric curtain tracks. At present, Alan has cooperated with the major hotel groups in China. Alan is the only designated supplier of Orange Hotel Group and a strategic partner of Huazhu Hotel Group. By the end of 2018, Alan has completed more than 1000 hotel's motorized curtain system projects at home and abroad. We have always adhered to the strict laws of international standards, and have continued to build smart curtains new products with the top domestic R&D team and excellent quality assurances. With the continuous surge wave of smart homes trend, Alan has worked closely with well-known smart home companies to create a new experience of smart curtains for smart homes. Alan is adhering to "FOCUS, PROFESSIONAL & EXPERT" concepts, to bring customers more cost-effective products and good services. Welcome to contact us to provide professional solutions & services to your smart curtains projects for hotels or smart homes.





















EU product safety certification FCC certification

Electromagnetic Compatibility Certification





ISO quality management system certification



China Quality Certification





Р3 P 4

Project Cases

HIGH-END HOTEL PROJECT CASE













ORANGE HOTEL SERIES



























MORE PROJECTS ARE ONGOING…

FIVE-STAR HOTELS

M otorized Curtain System

2.

1.





C urtain Motor



ALN300-M

Top and Different

Pull & Stop, Leading Technology

Electric Curtain Motor: ALN300-M Series



Features

- ♦ Varible torque
- ♦ High-quality & durable
- **♦** Larger Torque
- ♦ Larger Load
- Curtain Protection
- ♦ Hand pull start & stop
- Fast reaction
- Block to stop
- Intelligent limit
- Different control way

Parameters

Model	ALN300-M
Size	57x69x296mm
Weight	1.23 kg
Rated voltage	85-265V AC
Rated current	0.8 A
Max power	84 W
Torque	2.0-3.0 N.M
Max load	85 kgs
Rated speed	16cm/s
Running noise	< 22 db
Degree of protection	IP41
Max length of track Motor 8 years warranty	8 meters

Curtain Motor

ALN100-Z

Electric Curtain Motor: ALN100-Z Series



















Features

- ♦ Varible torque
- ♦ Varible speed
- ♦ Super silent
- Hand pull start & stop(optional)
- **Curtain Protection**
- Fast reaction
- Block to stop
- Intelligent limit
- Different control way

Parameters

Model	ALN100-Z
Size	50x70x295 mm
Weight	1.1 kg
Rated voltage	85-265V AC
Rated current	0.8 A
Max power	48 W
Torque	1.2-1.8 N.M
Max load	55 kgs
Rated speed	16cm/s
Running noise	< 22 db
Degree of protection	lP41
Max length of track Motor 5 years warranty	6 meters
wiotor 5 years warranty	

P 11 P 12

Electric Curtain Motor: ALN100-M Series















Features

- ♦ Low cost
- **♦** Light
- Shorter
- Fast reaction
- Block to stop
- Intelligent limit
- Different control way

Parameters

Model	ALN100-M
Size	49x71x225 mm
Weight	1.05 kg
Rated voltage	100-240V AC
Rated current	0.8 A
Max power	45 W
Torque	1.2 N.M
Max load	50 kgs
Rated speed	14cm/s
Running noise	< 33 db
Degree of protection	IP20
Max length of track	6 meters

ALN100-M

A NOT

Curtain Motor

Motor 2 years warranty P 13



ALN900LE-CM

Battery Curtain Motor: ALN900LE-CM Series







remote control (infrared)

ZigBee

Features

- Battery powered
- **♦** Portable
- ♦ Low power consumption
- Fast reaction
- Block to stop
- ♦ Intelligent limit
- Different control way

Parameters


Model	ALN900LE-CM
Size	48x71x315 mm
Weight	1.3 kg
Battery capacity	5200 mA
Rated current	1.5 A
Max power	30 W
Torque	0.8-1.2 N.M
Max load	45 kgs
Rated speed	12cm/s
Running noise	< 38 db
Degree of protection	IP41
Max length of track	6 meters
Output voltage	7-12.6 V

Motor 5 years warranty Battery 1 year warranty



Regular Track

Finished Curtain Track: Regular Series







Parameters

Color:Black/White Max loading:50KG Weight:0.83kg/meter Noise level: :38dB

Max loading: 50KG Max length: 12m

Empty load

resistance:0.43kg(4m track)

Customized track bending:




C urtain Track



S-wave Track

Finished Curtain Track: S-wave Series





Parameters

Color:Black/White Max loading:50KG Max length:12m Weight:1.02kg/meter Noise level::38dB Empty load

resistance:0.43kg(4m track)

Customized track bending:





Extendable Track

Finished Curtain Track: Extendable Series













LV-EX-3.0(1.76m-3.0m) LV-EX-4.0(2.26m-4.0m) LV-EX-5.0(2.76m-5.0m)



Name	Extendable Motorized Curtain Track						
Colour	Electrophoresis ivory white						
Material	Aluminium alloy	Aluminium alloy Hand-pull resistance 1.2N.m					
Max load	80kg	10cm					
Compatibility	All types motor of Teritex Track						
Installation method	Default top mounting, please contact customer service for others						
Size	LV-EX-3.0(1.76m- LV-EX-4.0(2.26m- LV-EX-5.0(2.76m- Customized size a	4.0m)	8.0 M				





Wireless Remote

Curtain Remote: Handhold Series







1 channel

2 channel

9 channel

Curtain Remote: Panel Series



2 channel

Parameters

Control Mode	Wireless
Working temperature	-20°C ~ +55°C
Commercial Buyer	Hotels, Villa, office, school, Restaurants
Weight	0.1kgs
Transmit Power	ASK 433.92MHz 10dBm



Smart Curtain KIT Set Packing list

Length Details	Picture	3.2 Meter Kit	4.2 Meter Kit	5.2 Meter Kit	6.2 Meter Kit	7.2 Meter Kit	8.2 Meter Kit	
Rail 1.0m		2 pcs	3 pcs	4 pcs	5 pcs	6pcs	7pcs	
Rail 50cm				1	рс			
Rail 20cm				2 p	ocs			
Rail 10cm				1	рс			
Rail 5cm				1	рс			
Track carrier	·	1 pair						
Gear box	(0)	2 pcs						
Driving belt	Q	7.0m	9.0m	11.0m	13.0m	15.0m	17.0m	
Rail connectors		6 pcs	7 pcs	8 pcs	9 pcs	10pcs	11pcs	
Runners	Co	30pcs	40pcs	50pcs	60pcs	70pcs	80pcs	
Mounting Brackets	(C. 1)	12 pcs	14 pcs	16 pcs	18 pcs	20pcs	22pcs	
Hooks		2pcs						
Track locks	(C)	2pcs						
Handhold Remote	1998		1	/ 2 / 10 chan	nels (Optiona)		
Curtain Motor			M100	/M100 lite/Z1	00/M300 (<mark>Op</mark> t	tional)		
Other Accessories	1111		Screws	etc,and other	optional acce	essories		

M otorized Track Accessories

Accessories: Empty Track









Track Carrier





S-wave Carrier












Accessories: Gearbox













Accessories: Ceiling Bracket







Accessories: Belt





Accessories: Track Hook/S-wave Hook





Accessories: Wall Bracket

Accessories: Connector







Accessories: S-wave Tape

Accessories: Runner/ S-wave runner














otorized Roller Blinds System

1.








Compatible accessories

Tube Size	Crown	Adaptor
Ф 38	GH34 (GL43 @ GL43-2
Φ 43	GH54 O	GL68
Ф 38	GH56	GL69





25mm Motor Series

Model	Fuction	Torque (N.m)	Speed (rpm)	Voltage- Drequency (V~Hz)	Absortion(A)	Consuption (W)	Motor Weight (Kg)	Tube length (mm)	Degree of protection
GM25TE-1.1/28	remote	1.1	28	100-240/60-50	1	12	0.38	410	IP44
GM25TEQ-1.5/28	wifi	1.5	28	100-240/60-50	1.2	15	0.38	460	IP44
GM25TEQ-TYZ- 2/25	zigbee	2	25	100-240/60-50	1.4	16.8	0.38	460	IP44

More model and details please check tubular motor catalog



Compatible accessories

Tube Size	Crown	Adaptor	Ldler	
Φ40	GH28	GL35	GW01	
Ф40	GH06	GLO8	GW09	
Ф47		GL01	GW01	
Φ50	GH01	GL02A	GW08	
Φ55	GH01+GH16 0 1	GL02	GW02	

Use















Roller Blinds

Motorized Pleaed Blinds

Roman Blinds

Wooden Venetian Blinds

Windproof

Motorized Aluminum roller shutter alloy roll window

Projection Screen

35mm Motor Series

Model	Fuction	Torque (N.m)	Speed (rpm)	Voltage- Drequency (V~Hz)	Absortion(A)	Consuption (W)	Motor Weight (Kg)	Tube length (mm)	Degree of protection
GM35E-6/28	remote	6	28	230	0.64	146	1.4	530	IP44
GM35EQ-10/17	wifi	10	17	230	0.64	146	1.4	530	IP44
GM35EQ-TYZ- 13/14	zigbee	13	14	230	0.64	146	1.4	530	IP44

More model and details please check tubular motor catalog

P 35 P 36

Tubular Motor

|⁴⁶| ← L |²⁵|

Compatible accessories

Motorized

Roller Blinds

Tube Size	Crown	Adaptor		Ldler	
Ф60	GH25 🔘	GL38			
Ф60	GH03 O	GL03/GL04 🔘 🖨	GW06		
ф63	GH14 O	GL19 💍	GW04	•	
ф70	GH09 O	GL09 😩			
ф80	GH04+GH02	GL12 (🕽	GW11	0	
ф85	GH18 ()	GL29	GW12		



Motorized

Aluminum

alloy roll window

Motorized

Roller Door

Motorized

Lift Curtain

Motorized

Awning

45mm Motor Series

Model	Fuction	Torque (N.m)	Speed (rpm)	Voltage- Drequency (V~Hz)	Absortion(A)	Consuption (W)	Motor Weight (Kg)	Tube length (mm)	Degree of protection
GM45E-10/15	remote	10	15	230/50	0.66	146	2.4	550	IP44
GM45EQ-25/15	wifi	25	15	230/50	0.74	166	2.55	590	IP44
GM45S-20/28		20	28	230/50	0.98	225	2.35	540	IP44

More model and details please check tubular motor catalog



Wireless Remote

Wireless Remote



1/5/15 channel optional



1/5/15 channel optional




1/5 channel optional

Parameters

Control Mode	Wireless			
Working temperature	-20°C ~ +55°C			
Commercial Buyer	Hotels, Villa, office, school, Restaurants			
Weight	0.1kgs			
Transmit Power	ASK 433.92MHz 10dBm			

Roller Blinds Accessories















Service & Guarantee

OEM/ODM Available













Various Modes of Transportation



Warranty of Products







More fascinating details

To be discovered

Please contact us